


Resin Fiber Discs: CERAMIC

CERAMIC S.S.: Our Ceramic Blend discs provide the ultimate performance on Stainless Steel and other exotic alloys, high grade aluminum & most other hard-to-grind materials. They cut faster & last longer than Zirc. The "Top Sized" grinding aid helps prevent heat build-up and reduces loading.



CERAMIC C.S.: Our SG Ceramic discs provide the ultimate performance on Carbon Steel & many other metals! They cut faster & last longer than Zirc. An added grinding aid promotes cooler grinding temperature of the work piece.

SIZE DIA. x AH	GRIT	CERAMIC S.S.		CERAMIC C.S.	
		ITEM NO.	LIST EACH	ITEM NO.	LIST EACH
4-1/2" x 7/8 Std. Pkg. 25 Max. RPM 13,000	24	37410	\$ 1.63	37310	\$ 1.71
	36	37411	\$ 1.52	37311	\$ 1.60
	50	37412	\$ 1.42	37312	\$ 1.48
	60	37413	\$ 1.34	37313	\$ 1.41
	80	37414	\$ 1.27	37314	\$ 1.33
5" x 7/8 Std. Pkg. 25 Max. RPM 11,900	24	37418	\$ 1.74	37318	\$ 1.83
	36	37419	\$ 1.67	37319	\$ 1.75
	50	37420	\$ 1.52	37320	\$ 1.60
	60	37421	\$ 1.45	37321	\$ 1.52
	80	37422	\$ 1.37	37322	\$ 1.44
7" x 7/8 Std. Pkg. 25 Max. RPM 8,600	24	37426	\$ 2.68	37326	\$ 2.81
	36	37427	\$ 2.60	37327	\$ 2.74
	50	37428	\$ 2.53	37328	\$ 2.66
	60	37429	\$ 2.35	37329	\$ 2.47
	80	37430	\$ 2.20	37330	\$ 2.32
9" x 7/8 Std. Pkg. 25 Max. RPM 6,500	24	37434	\$ 4.42	37334	\$ 4.64
	36	37435	\$ 4.27	37335	\$ 4.49
	50	37436	\$ 3.98	37336	\$ 4.18
	60	37437	\$ 3.84	37337	\$ 4.03
	80	37438	\$ 3.62	37338	\$ 3.80

Also available: 4" x 5/8" arbor hole.

Spiral Vented Rubber B/U Pads



Std. Pkg. 1

DIA.	PAD NUMBER	FLEX	MAX RPM	ITEM NO.	LIST EACH
4-1/2" x 5/8-11	R425R	Medium	13,000	50401	\$ 15.22
4-1/2" x 5/8 SB	R425RSB	Medium	13,000	50401-SB	\$ 15.22
5" x 5/8-11	R500R	Medium	10,000	50404	\$ 18.32
5" x 5/8 SB	R500RSB	Medium	10,000	50404-SB	\$ 18.32
7" x 5/8-11	R700R	Medium	8,500	50410	\$ 27.68
	H700R	Rigid	8,500	50411	\$ 27.68
9" x 5/8-11	R900R	Medium	6,500	50415	\$ 33.11
Center Nut	#102	5/8-11 Center Nut (fits all pads)		50418	\$ 6.49
Spanner Wrench	#102SPWR			50419	\$ 6.49

Item numbers in ***Bold Italics*** are popular stock items. Most other items available in 3-4 days.

Preferred Abrasives, Inc.
800.729.5702

Resin Fiber Discs: ZIRC

ZIRC PREMIUM: Our Premium Zirc discs feature a heavy fiber backing and a fast cutting, self-sharpening grain with an improved resin system for better grain retention. The advanced bonding formulation promotes cool grinding action, extending disc life.



ZIRC "PC": Our general purpose Zirc discs provide the right combination of reliable quality with low price. ZIRC is the better choice for aggressive grinding on most materials.

SIZE DIA. x AH	GRIT	ZIRC PREMIUM		ZIRC "PC"	
		ITEM NO.	LIST EACH	ITEM NO.	LIST EACH
4-1/2" x 7/8 Std. Pkg. 25 Max. RPM 13,000	24	<i>37202</i>	\$ 1.34	<i>37202-PC</i>	\$ 0.92
	36	<i>37203</i>	\$ 1.22	<i>37203-PC</i>	\$ 0.88
	50	<i>37204</i>	\$ 1.15	<i>37204-PC</i>	\$ 0.83
	60	<i>37205</i>	\$ 1.10	<i>37205-PC</i>	\$ 0.79
	80	<i>37206</i>	\$ 1.04	<i>37206-PC</i>	\$ 0.75
5" x 7/8 Std. Pkg. 25 Max. RPM 11,900	24	<i>37208</i>	\$ 1.43	<i>37208-PC</i>	\$ 1.04
	36	<i>37209</i>	\$ 1.37	<i>37209-PC</i>	\$ 0.96
	50	<i>37210</i>	\$ 1.24	<i>37210-PC</i>	\$ 0.88
	60	<i>37211</i>	\$ 1.19	<i>37211-PC</i>	\$ 0.86
	80	<i>37212</i>	\$ 1.13	<i>37212-PC</i>	\$ 0.81
7" x 7/8 Std. Pkg. 25 Max. RPM 8,600	24	<i>37214</i>	\$ 2.19	<i>37214-PC</i>	\$ 1.56
	36	<i>37215</i>	\$ 2.13	<i>37215-PC</i>	\$ 1.46
	50	<i>37216</i>	\$ 2.08	<i>37216-PC</i>	\$ 1.42
	60	<i>37217</i>	\$ 1.93	<i>37217-PC</i>	\$ 1.36
	80	<i>37218</i>	\$ 1.82	<i>37218-PC</i>	\$ 1.29
9" x 7/8 Std. Pkg. 25 Max. RPM 6,500	24	37220	\$ 3.62	37220-PC	\$ 2.66
	36	37221	\$ 3.51	37221-PC	\$ 2.50
	50	37222	\$ 3.27	37222-PC	\$ 2.33
	60	37223	\$ 3.15	37223-PC	\$ 2.17
	80	37224	\$ 2.97	37224-PC	\$ 2.17

Item numbers in ***Bold Italic*** are popular stock items. All other item numbers available in 3-4 days.

For back-up pads, see page 28.

Also available: 4" x 5/8" arbor hole.

The following shapes are also available. Please call for minimums and lead times.



<p>Rosette: An eight sided disc with rounded corners. Provides better access to corners and allows a view of the work piece as you grind.</p>	<p>Octagonal: An eight sided disc. Provides a closer fit than a rosette. Allows a view of the work piece as you grind.</p>	<p>Slotted: The 1/2" cuts from the 7/8" arbor hole are cut outs, not just a slash. Allowing the center nut to recess easier.</p>
--	---	---

Preferred Abrasives, Inc.
800.729.5702

Resin Fiber Discs: AO

AO PREMIUM: Our Premium AO discs feature a heavy fiber backing and a premium, fast cutting grain. The advanced bonding formulation promotes cool grinding action, extending disc life.



AO "PC": Our general purpose AO discs provide the right combination of reliable quality with low price. Good for general purpose work on most materials.

SIZE DIA. x AH	GRIT	AO PREMIUM		AO "PC"	
		ITEM NO.	LIST EACH	ITEM NO.	LIST EACH
4-1/2" x 7/8 Std. Pkg. 25 Max. RPM 13,000	24	37110	\$ 0.83	37110-PC	\$ 0.63
	36	37111	\$ 0.78	37111-PC	\$ 0.59
	50	37112	\$ 0.72	37112-PC	\$ 0.57
	60	37113	\$ 0.69	37113-PC	\$ 0.56
	80	37114	\$ 0.65	37114-PC	\$ 0.53
	100	37115	\$ 0.65	37115-PC	\$ 0.53
	120	37116	\$ 0.65	37116-PC	\$ 0.53
5" x 7/8 Std. Pkg. 25 Max. RPM 11,900	24	37118	\$ 0.89	37118-PC	\$ 0.63
	36	37119	\$ 0.84	37119-PC	\$ 0.63
	50	37120	\$ 0.78	37120-PC	\$ 0.61
	60	37121	\$ 0.74	37121-PC	\$ 0.57
	80	37122	\$ 0.70	37122-PC	\$ 0.56
	100	37123	\$ 0.70	37123-PC	\$ 0.56
	120	37124	\$ 0.70	37124-PC	\$ 0.56
7" x 7/8 Std. Pkg. 25 Max. RPM 8,600	24	37126	\$ 1.37	37126-PC	\$ 1.11
	36	37127	\$ 1.32	37127-PC	\$ 1.06
	50	37128	\$ 1.29	37128-PC	\$ 1.03
	60	37129	\$ 1.20	37129-PC	\$ 0.99
	80	37130	\$ 1.13	37130-PC	\$ 0.95
	100	37131	\$ 1.13	37131-PC	\$ 0.95
	120	37132	\$ 1.13	37132-PC	\$ 0.95
9" x 7/8 Std. Pkg. 25 Max. RPM 6,500	24	37134	\$ 2.25	37134-PC	\$ 1.76
	36	37135	\$ 2.18	37135-PC	\$ 1.76
	50	37136	\$ 2.03	37136-PC	\$ 1.64
	60	37137	\$ 1.95	37137-PC	\$ 1.64
	80	37138	\$ 1.85	37138-PC	\$ 1.59
	100	37139	\$ 1.85	37139-PC	\$ 1.59
	120	37140	\$ 1.85	37140-PC	\$ 1.59

Item numbers in ***Bold Italics*** are popular stock items. Most other item numbers available in 3-4 days.

For back-up pads, see page 28.

Also available: 4" x 5/8" arbor hole.

Rosette and Octagon shapes also available.

Preferred Abrasives, Inc.
800.729.5702