


Resin Fiber Discs: CERAMIC

FIRESTORM CERAMIC: Our NEWEST GENERATION ceramic grain. Works best on Medium to High pressure applications. This product is designed to work best with heat sensitive materials such as stainless steel, titanium and other super alloys. Its aggressive grain orientation, along with a "Top Sized" grinding aid, provides 30% or more productivity compared to earlier ceramics.



CERAMIC S.S.: Our Ceramic Blend discs provide superior performance over Zirc on Stainless Steel and other exotic alloys, high grade aluminum & most other hard-to-grind materials. They cut faster & last longer than Zirc. The "Top Sized" grinding aid helps prevent heat build-up and reduces loading.



*

| SIZE DIA. x AH | GRIT | CERAMIC S.S. | | FIRESTORM CERAMIC | |
|---|------|--------------|-----------|-------------------|-----------|
| | | ITEM NO. | LIST EACH | ITEM NO. | LIST EACH |
| 4-1/2" x 7/8 Std. Pkg. 25 Max. RPM 13,000 | 24 | <i>37410</i> | \$ 1.63 | <i>37510</i> | \$ 1.81 |
| | 36 | <i>37411</i> | \$ 1.52 | <i>37511</i> | \$ 1.67 |
| | 50 | <i>37412</i> | \$ 1.42 | <i>37512</i> | \$ 1.33 |
| | 60 | <i>37413</i> | \$ 1.34 | <i>37513</i> | \$ 1.26 |
| | 80 | <i>37414</i> | \$ 1.27 | <i>37514</i> | \$ 1.14 |
| 5" x 7/8 Std. Pkg. 25 Max. RPM 11,900 | 24 | <i>37418</i> | \$ 1.74 | <i>37518</i> | \$ 1.95 |
| | 36 | <i>37419</i> | \$ 1.67 | <i>37519</i> | \$ 1.82 |
| | 50 | <i>37420</i> | \$ 1.52 | <i>37520</i> | \$ 1.47 |
| | 60 | <i>37421</i> | \$ 1.45 | <i>37521</i> | \$ 1.46 |
| | 80 | <i>37422</i> | \$ 1.37 | <i>37522</i> | \$ 1.30 |
| 7" x 7/8 Std. Pkg. 25 Max. RPM 8,600 | 24 | <i>37426</i> | \$ 2.68 | <i>37526</i> | \$ 3.46 |
| | 36 | <i>37427</i> | \$ 2.60 | <i>37527</i> | \$ 3.09 |
| | 50 | <i>37428</i> | \$ 2.53 | <i>37528</i> | \$ 2.54 |
| | 60 | <i>37429</i> | \$ 2.35 | <i>37529</i> | \$ 2.36 |
| | 80 | <i>37430</i> | \$ 2.20 | <i>37530</i> | \$ 2.38 |

Also available: 4" x 5/8" arbor hole and 9" x 7/8 arbor hole.

* Also available with 5/8-11 Quick Change Hub. Add .50 to the list price.

Spiral Vented Rubber B/U Pads



Std. Pkg. 1

| DIA. | PAD NUMBER | FLEX | MAX RPM | ITEM NO. | LIST EACH |
|-----------------|------------|-----------------------------------|---------|-----------------|-----------|
| 4-1/2" x 5/8-11 | R425R | Medium | 13,000 | <i>50401</i> | \$ 15.22 |
| 4-1/2" x 5/8 SB | R425RSB | Medium | 13,000 | <i>50401-SB</i> | \$ 15.22 |
| 5" x 5/8-11 | R500R | Medium | 10,000 | <i>50404</i> | \$ 18.32 |
| 5" x 5/8 SB | R500RSB | Medium | 10,000 | <i>50404-SB</i> | \$ 18.32 |
| 7" x 5/8-11 | R700R | Medium | 8,500 | <i>50410</i> | \$ 27.68 |
| | H700R | Rigid | 8,500 | <i>50411</i> | \$ 27.68 |
| 9" x 5/8-11 | R900R | Medium | 6,500 | <i>50415</i> | \$ 33.11 |
| Center Nut | #102 | 5/8-11 Center Nut (fits all pads) | | <i>50418</i> | \$ 6.49 |
| Spanner Wrench | #102SPWR | | | <i>50419</i> | \$ 6.49 |

Item numbers in ***Bold Italics*** are popular stock items. Most other items available in 3-4 days.

Preferred Abrasives, Inc.
800.729.5702

Resin Fiber Discs: ZIRC

ZIRC PREMIUM: Our Premium Zirc discs feature a heavy fiber backing and a fast cutting, self-sharpening grain with an improved resin system for better grain retention. The advanced bonding formulation promotes cool grinding action, extending disc life.



ZIRC "PC": Our general purpose Zirc discs provide the right combination of reliable quality with low price. ZIRC is the better choice for aggressive grinding on most materials.



*

| SIZE DIA. x AH | GRIT | ZIRC PREMIUM | | ZIRC "PC" | |
|---|------|--------------|-----------|-----------------|-----------|
| | | ITEM NO. | LIST EACH | ITEM NO. | LIST EACH |
| 4-1/2" x 7/8 Std. Pkg. 25 Max. RPM 13,000 | 24 | <i>37202</i> | \$ 1.34 | <i>37202-PC</i> | \$ 0.92 |
| | 36 | <i>37203</i> | \$ 1.22 | <i>37203-PC</i> | \$ 0.88 |
| | 50 | <i>37204</i> | \$ 1.15 | <i>37204-PC</i> | \$ 0.83 |
| | 60 | <i>37205</i> | \$ 1.10 | <i>37205-PC</i> | \$ 0.79 |
| | 80 | <i>37206</i> | \$ 1.04 | <i>37206-PC</i> | \$ 0.75 |
| 5" x 7/8 Std. Pkg. 25 Max. RPM 11,900 | 24 | <i>37208</i> | \$ 1.43 | <i>37208-PC</i> | \$ 1.04 |
| | 36 | <i>37209</i> | \$ 1.37 | <i>37209-PC</i> | \$ 0.96 |
| | 50 | <i>37210</i> | \$ 1.24 | <i>37210-PC</i> | \$ 0.88 |
| | 60 | <i>37211</i> | \$ 1.19 | <i>37211-PC</i> | \$ 0.86 |
| | 80 | <i>37212</i> | \$ 1.13 | <i>37212-PC</i> | \$ 0.81 |
| 7" x 7/8 Std. Pkg. 25 Max. RPM 8,600 | 24 | <i>37214</i> | \$ 2.19 | <i>37214-PC</i> | \$ 1.56 |
| | 36 | <i>37215</i> | \$ 2.13 | <i>37215-PC</i> | \$ 1.46 |
| | 50 | <i>37216</i> | \$ 2.08 | <i>37216-PC</i> | \$ 1.42 |
| | 60 | <i>37217</i> | \$ 1.93 | <i>37217-PC</i> | \$ 1.36 |
| | 80 | <i>37218</i> | \$ 1.82 | <i>37218-PC</i> | \$ 1.29 |
| 9" x 7/8 Std. Pkg. 25 Max. RPM 6,500 | 24 | 37220 | \$ 3.62 | 37220-PC | \$ 2.66 |
| | 36 | 37221 | \$ 3.51 | 37221-PC | \$ 2.50 |
| | 50 | 37222 | \$ 3.27 | 37222-PC | \$ 2.33 |
| | 60 | 37223 | \$ 3.15 | 37223-PC | \$ 2.17 |
| | 80 | 37224 | \$ 2.97 | 37224-PC | \$ 2.17 |

Item numbers in ***Bold Italics*** are popular stock items. All other item numbers available in 3-4 days.

For back-up pads, see page 28.

Also available: 4" x 5/8" arbor hole.

* Also available with 5/8-11 Quick Change Hub. Add .50 to the list price.

The following shapes are also available. Please call for minimums and lead times.



| | | |
|---|--|--|
| <p><u>Rosette:</u> An eight sided disc with rounded corners. Provides better access to corners and allows a view of the work piece as you grind.</p> | <p><u>Octagonal:</u> An eight sided disc. Provides a closer fit than a rosette. Allows a view of the work piece as you grind.</p> | <p><u>Slotted:</u> The 1/2" cuts from the 7/8" arbor hole are cut outs, not just a slash. Allowing the center nut to recess easier.</p> |
|---|--|--|

Preferred Abrasives, Inc.
800.729.5702

Resin Fiber Discs: AO

AO PREMIUM: Our Premium AO discs feature a heavy fiber backing and a premium, fast cutting grain. The advanced bonding formulation promotes cool grinding action, extending disc life.



AO "PC": Our general purpose AO discs provide the right combination of reliable quality with low price. Good for general purpose work on most materials.



*

| SIZE DIA. x AH | GRIT | AO PREMIUM | | AO "PC" | |
|---|------|--------------|-----------|-----------------|-----------|
| | | ITEM NO. | LIST EACH | ITEM NO. | LIST EACH |
| 4-1/2" x 7/8 Std. Pkg. 25 Max. RPM 13,000 | 24 | 37110 | \$ 0.83 | 37110-PC | \$ 0.63 |
| | 36 | 37111 | \$ 0.78 | 37111-PC | \$ 0.59 |
| | 50 | 37112 | \$ 0.72 | 37112-PC | \$ 0.57 |
| | 60 | 37113 | \$ 0.69 | 37113-PC | \$ 0.56 |
| | 80 | 37114 | \$ 0.65 | 37114-PC | \$ 0.53 |
| | 100 | 37115 | \$ 0.65 | 37115-PC | \$ 0.53 |
| | 120 | 37116 | \$ 0.65 | 37116-PC | \$ 0.53 |
| 5" x 7/8 Std. Pkg. 25 Max. RPM 11,900 | 24 | 37118 | \$ 0.89 | 37118-PC | \$ 0.63 |
| | 36 | 37119 | \$ 0.84 | 37119-PC | \$ 0.63 |
| | 50 | 37120 | \$ 0.78 | 37120-PC | \$ 0.61 |
| | 60 | 37121 | \$ 0.74 | 37121-PC | \$ 0.57 |
| | 80 | 37122 | \$ 0.70 | 37122-PC | \$ 0.56 |
| | 100 | 37123 | \$ 0.70 | 37123-PC | \$ 0.56 |
| | 120 | 37124 | \$ 0.70 | 37124-PC | \$ 0.56 |
| 7" x 7/8 Std. Pkg. 25 Max. RPM 8,600 | 24 | 37126 | \$ 1.37 | 37126-PC | \$ 1.11 |
| | 36 | 37127 | \$ 1.32 | 37127-PC | \$ 1.06 |
| | 50 | 37128 | \$ 1.29 | 37128-PC | \$ 1.03 |
| | 60 | 37129 | \$ 1.20 | 37129-PC | \$ 0.99 |
| | 80 | 37130 | \$ 1.13 | 37130-PC | \$ 0.95 |
| | 100 | 37131 | \$ 1.13 | 37131-PC | \$ 0.95 |
| | 120 | 37132 | \$ 1.13 | 37132-PC | \$ 0.95 |
| 9" x 7/8 Std. Pkg. 25 Max. RPM 6,500 | 24 | 37134 | \$ 2.25 | 37134-PC | \$ 1.76 |
| | 36 | 37135 | \$ 2.18 | 37135-PC | \$ 1.76 |
| | 50 | 37136 | \$ 2.03 | 37136-PC | \$ 1.64 |
| | 60 | 37137 | \$ 1.95 | 37137-PC | \$ 1.64 |
| | 80 | 37138 | \$ 1.85 | 37138-PC | \$ 1.59 |
| | 100 | 37139 | \$ 1.85 | 37139-PC | \$ 1.59 |
| | 120 | 37140 | \$ 1.85 | 37140-PC | \$ 1.59 |

Item numbers in ***Bold Italics*** are popular stock items. Most other item numbers available in 3-4 days.

For back-up pads, see page 28.

Also available: 4" x 5/8" arbor hole.

* Also available with 5/8-11 Quick Change Hub. Add .50 to the list price.

Preferred Abrasives, Inc.
800.729.5702