Preferred Abrasives, Inc.

MATERIAL SAFETY **DATA SHEET**

Flammability Rating Health Reactivity 0 Rating Rating 0 HAZARD RATING Please rate consistent with NFPA

		c			E AND PRODUC	Please rate consis	tent with NFI	PA
MANUFACTURER'S		3	ECTION	I - INAIVI	AND PRODUC			
Preferred Abrasiv								
ADDRESS (CITY, STATE	EMERGENCY TELEPHONE							
66 Industry Court Unit B Troy, Ohio 45373						(937) 332-8855		
TRADE NAME. COMMON NAME. OR SPECIFICATION						APPROVED BY: Thomas Gulker		
Cartridge Rolls, A/O						DATE	Jan. 3,	2021
CHEMICAL FAMILY OR P	RODUCT TY	PE ANY				DATE:		
Rolls of abrasive	materia	l, with ho	le throug	h center	for mandrel.			
			SECTION	ON II - C	OMPOSITION			
						OSHA		CARCIN
CHEMICAL NAME	%	COMMC	N NAME	REG*	CAS #	PERMISSIVE	ACGIH TLV	OGEN
ALUMINUM OXIDE	25-35	ALPHA ALUMINA		(Y/N) Y	1344-28-1	EXPOSURE LIMIT	5mg/M3	(Y/N) N
Al2O3	20-00	(Abrasive		1	1044-20-1	(Total Dust)	(Total Dust)	
/ 11200		(7 10 1 00 1 7 0	orani,				(Total Duot)	
Duroplastic Phenol or	65-75	Inert or Nui	sance Dust	Y	N/A	15mg/M3	5mg/M3	N
Urea Resin binder,						(Total Dust)	(Total Dust)	
& Inert Backing								
*Maximums are required I	hv OSHA 29	CPR 1910 1	200 Hazard C	Communicatio	n Standard			
		hardware may be	e incorporated in t	his product. Thes	se portions in no way represent a	hazard when handled in accordance	with the measure	s set below.
		SECTIC	N III - PH	HYSICAL	AND CHEMICA	L DATA		
BOILING POINT		N/A MELTING POINT			N/A	SPECIFIC GRAVITY		N/A
VAPOR PRESSURE		N/A PERCENT VOLATILE BY V				VAPOR DENSITY N/A		
EVAPORATION RATE	N/A SOLUBILITY IN WATER N/A				SOLUBILITY IN ALCOHOL N/A			
SOLUBILITY IN OTHER S	APPEARANCE AND OD							
N/A						rial, with hole through c	center for ma	andrel.
	SE	ECTION	IV - FIRE	AND E	KPLOSION HAZA	ARD DATA		
FLASH POINT N/A		(METHOD USED) N/A				FLAMMABLE LMTS. N/A		
EXTINGUISHING MEDIA Water, Carbon Dioxide, Foam, Dry Chemical SPECIAL FIRE FIGHTING PROCEDURE Fiber and resin binder will burn or decompose; use respiratory protection.								
SPECIAL FIRE FIGHTING		-	Fiber and	resin bind	er will burn or decon	npose; use respiratory	/ protection	l .
EXPLOSION POTENTIAL		N/A	<u> </u>		-	0.41 0.47		
SECTION V HEALTH, FIRST AID AND MEDICAL DATA								
PRIMARY ROUTES	ACUTE AND CHRONIC HEALTH EFFECTS				FIRST AID AND			
OF ENTRY		AND EFFECTS OF OVEREXPOSURE ACUTE- May cause coughing, shortness of breath				MEDICAL INFORMATION Remove to fresh air: obtain first-aid or		
INHALATION								
Airborne dust during grinding		CHRONIC- May effect breathing capacity				medical assistance as needed		
INGESTION		Dust - no known adverse effects,				First aid or medical assistance		
Dust during grinding		ingestion not recommended				as needed		
SKIN		Not absorbed through skin - may cause				First aid or medical assistance		
During grinding		abrasion in use				as needed		
EYE		Dust may irritate eyes				Wash with water; first aid or		
Airborne dust during					medical assistance as needed			
OTHER HEALTH RISKS	On some materials, elevated sound levels				Obtain medical assistance as			
	may be created which may effect hearing				needed			
During grinding								

	SECTION VI - CORROSIVITY AND REACTIVITY DATA							
STABILITY: UNSTAB	STABLE POLYMERIZATION: MAY OCCUR WILL NOT OCCU							
INCOMPATIBILITY (MAT	ERIALS TO AVOID):							
DECOMPOSITION PRODU	JCTS:							
	decomposing resin fumes are generated. In most cases, the material removed from							
work piece will be significantly greater than the coated abrasive product components.								
CONDITIONS TO BE AV								
N/A								
SECTION VII - STORAGE HANDLING AND USE PROCEDURES								
NORMAL STORAGE AND HANDLING:								
Handle with adequate ventilation. See OSHA 29 CFR 1910.94 (ventilation) and OSHA 29 CFR								
1910.1000 (air contaminants)								
NORMAL USE:								
Handle with adequate ventilation; See OSHA 29 CFR 1910.94 (ventilation), OSHA 29 CFR								
1910.1000 (air contaminants), OSHA CFR 1910.213 (P) Sanding Machines & OSHA CFR 1910.243								
STEPS TO BE TAKEN IN	CASE OF LEAKS OR SPILLS:							
Normal clean-up procedures.								
TRANSPORTATION:								
	emicals included in final product that appear as a "hazardous material" as indicated							
in the Department of Transportation's document 49 CFR doc 172.101 App. A.								
WASTE DISPOSAL METHOD:								
Standard landfill	methods consistent with applicable Federal, State, and local laws.							
	SECTION VIII - PERSONAL PROTECTION INFORMATION							
RESPIRATORY PROTEC	CTION (SPECIFY TYPE) As needed, approved dust respirator OSHA 24 CFR 1910.134							
VENTILATION	LOCAL Recommended							
Х	MECHANICAL Recommended (GENERAL)							
	OTHER NAIF							
PROTECTIVE GLOVES	Recommended when in use.							
EYE PROTECTION	Recommended OSHA 29 CFR 1910.133 (Face and Eye Protection)							
OTHER EQUIPMENT	As needed, hearing protection OSHA 29 CFR 1910.215 (Hearing Protection)							
See Sections VI, VII, and VIII								
MEASURES TO BE TAKEN DURING REPAIR AND MAINTENANCE OF CONTAMINATED EQUIPMENT THAT HAS BEEN IN CONTACT								
SECTION IX - SPECIAL PRECAUTIONS								
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE								
Slight formaldehyde or phenolic resin odor from binding system may be released during storage.								
OTHER PRECAUTIONS								
N/A								
	N/A = NOT APPLICABLE NAIF = NO APPLICABLE INFORMATION FOUND							
	FOR COMPANY USE							
The inform	nation and recommendations set forth herein are taken from sources believed to be accurate							
as of the date hereof, however, Preferred Abrasives, Inc. makes no warranty with respect to the								

accuracy of the information or the suitability of the suitability of the recommendations, and assumes no liability to any user thereof.