Preferred Abrasives, Inc.

## MATERIAL SAFETY **DATA SHEET**

Flammability Rating	
Health Rating 0 Reactivity Rating	
HAZARD RATING	
Please rate consistent with NFPA	
NTACT	

		SECTIO	N I - NAM	E AND PRODUC	Т		
MANUFACTURER'S	CONTACT						
Preferred Abrasives, Inc.							
ADDRESS (CITY, STATE, AND ZIP 66 Industry Court Unit B Troy, Ohio 45373					EMERGENCY TELEPHONE (937) 332-8855		
TRADE NAME, COMMON NAME, OR SPECIFICATION					APPROVED BY: Thomas Gulker		
No-Lap Bands - AO					Jan. 3,		
CHEMICAL FAMILY OR P		YPE ANY			DATE:	ourn o,	
Abrasive product	, No-La	o Bands, A/O					
		SECT	ΓΙΟΝ ΙΙ - C	COMPOSITION			
CHEMICAL NAME	%	COMMON NAME	REG*	CAS	OSHA PERMISSIVE	ACGIH	CARCIN
	70		(Y/N)	#	EXPOSURE LIMIT	TLV	(Y/N)
ALUMINUM OXIDE	25-35	ALPHA ALUMINA	Y	1344-28-1	15mg/M3	5mg/M3	N
AI2O3		(Abrasive Grain)			(Total Dust)	(Total Dust)	
Duroplastic Phenol or	65-75	Inert or Nuisance Du	st Y	N/A	15mg/M3	5mg/M3	N
Urea Resin binder,					(Total Dust)	(Total Dust)	
0	0	0	0	0	0	0	0
	00114.00						
*Maximums are required I **Please note that steel, aluminum					hazard when handled in accordanc	e with the measure	s set below.
				LAND CHEMICA			
		N/A MELTING POINT N/A		SPECIFIC GRAVITY N/A			
VAPOR PRESSURE		N/A PERCENT VOLATILE BY VOL. N/A			VAPOR DENSITY N/A		
EVAPORATION RATE		N/A SOLUBILITY IN WATER N/A			SOLUBILITY IN ALCOHOL N/A		
SOLUBILITY IN OTHER SOLVENTS				APPEARANCE AND OD			
N/A				Bands of abrasi			
				XPLOSION HAZ/	ARD DATA		
FLASH POINT N/A		(METHOD USED) N/A FLAMMABLE LMTS. N/A					
EXTINGUISHING MEDIA		Water, Carbon Dic			• •		
SPECIAL FIRE FIGHTING		URE Fiber ar N/A	nd resin bind	der will burn or decor	mpose; use respirator	y protection	l.
EXPLOSION POTENTIAL							
	SE			ST AID AND MED			
		ACUTE AND CHRONIC HEALTH EFFECTS AND EFFECTS OF OVEREXPOSURE			FIRST AID AND MEDICAL INFORMATION		
					Remove to fresh air; obtain first-aid or		
		CHRONIC- May effect breathing capacity			medical assistance as needed		
, in bonno adot adming grinaling		Dust - no known adverse effects,			First aid or medical assistance		
		ingestion not recommended			as needed		
		Not absorbed through skin - may cause			First aid or medical assistance		
During grinding		abrasion in use			as needed		
EYE		Dust may irritate eyes			Wash with water; first aid or		
Airborne dust during	grinding		-		medical assistan	nce as nee	eded
OTHER HEALTH RISKS		On some materials, elevated sound levels					
During grinding		may be created which may effect hearing					

	SECTION VI - CORROSIVITY AND REACTIVITY DATA				
STABILITY: UNSTAB	STABLE POLYMERIZATION: MAY OCCUR WILL NOT OCCU				
INCOMPATIBILITY (MAT	ERIALS TO AVOID):				
DECOMPOSITION PRODU	JCTS:				
	decomposing resin fumes are generated. In most cases, the material removed from				
	e significantly greater than the coated abrasive product components.				
CONDITIONS TO BE AV					
N/A					
	SECTION VII - STORAGE HANDLING AND USE PROCEDURES				
NORMAL STORAGE AND	) HANDLING:				
Handle with adeo	quate ventilation. See OSHA 29 CFR 1910.94 (ventilation) and OSHA 29 CFR				
1910.1000 (air co	ontaminants)				
NORMAL USE:					
Handle with adeo	quate ventilation; See OSHA 29 CFR 1910.94 (ventilation), OSHA 29 CFR				
	ontaminants), OSHA CFR 1910.213 (P) Sanding Machines & OSHA CFR 1910.243				
STEPS TO BE TAKEN IN	CASE OF LEAKS OR SPILLS:				
Normal clean-up	procedures.				
TRANSPORTATION:					
	emicals included in final product that appear as a "hazardous material" as indicated				
	nt of Transportation's document 49 CFR doc 172.101 App. A.				
WASTE DISPOSAL METH					
Standard landfill	methods consistent with applicable Federal, State, and local laws.				
	SECTION VIII - PERSONAL PROTECTION INFORMATION				
RESPIRATORY PROTEC	CTION (SPECIFY TYPE) As needed, approved dust respirator OSHA 24 CFR 1910.134				
VENTILATION	LOCAL Recommended				
Х	MECHANICAL Recommended (GENERAL)				
	OTHER NAIF				
PROTECTIVE GLOVES	Recommended when in use.				
EYE PROTECTION	Recommended OSHA 29 CFR 1910.133 (Face and Eye Protection)				
OTHER EQUIPMENT	As needed, hearing protection OSHA 29 CFR 1910.215 (Hearing Protection)				
See Sections VI,					
MEASURES TO BE TAKE	IN DURING REPAIR AND MAINTENANCE OF CONTAMINATED EQUIPMENT THAT HAS BEEN IN CONTACT				
	SECTION IX - SPECIAL PRECAUTIONS				
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE					
Slight formaldehyde or phenolic resin odor from binding system may be released during storage.					
OTHER PRECAUTIONS					
N/A					
	N/A = NOT APPLICABLE NAIF = NO APPLICABLE INFORMATION FOUND				
	FOR COMPANY USE				
The inform	nation and recommendations set forth herein are taken from sources believed to be accurate				
as of the o	late hereof, however, Preferred Abrasives, Inc. makes no warranty with respect to the				

accuracy of the information or the suitability of the suitability of the recommendations, and assumes no liability to any user thereof.