Preferred Abrasives, Inc.

MATERIAL SAFETY **DATA SHEET**

Flammability Rating Health Reactivity 0 Rating Rating 0 HAZARD RATING Please rate consistent with NFPA

	Please rate consistent with NFPA								
	T								
MANUFACTURER'S Preferred Abrasiv	CONTACT								
ADDRESS (CITY, STATE	EMERGENCY TELEPHONE								
66 Industry Court Unit B Troy, Ohio 45373						(937) 332-8855			
TRADE NAME. COMMON NAME. OR SPECIFICATION						APPROVED BY:	Thomas C	Gulker	
Quick Lock Discs, CERAMIC PLUS						DATE	Jan. 3,	2021	
CHEMICAL FAMILY OR P	•					DATE:	•••••••		
Abrasive product	, Quick I	Lock Discs	s, Ceran	nic Plus					
			SECTION	ON II - C	OMPOSITION				
						OSHA		CARCIN	
CHEMICAL NAME %		COMMON NAME		REG* (Y/N)	CAS #	PERMISSIVE EXPOSURE LIMIT	ACGIH TLV	OGEN (Y/N)	
ALUMINUM OXIDE	15-18	ALPHA ALUMINA		Y	1344-28-1	15mg/M3	5mg/M3	N	
Al2O3		(Abrasive Grain)		•		(Total Dust)	(Total Dust)		
CERAMIC OXIDE	10-12		CERAMIC ALUMINA)		1314-23-4	5mg/M3	5mg/M3	N	
						(as Zr)	(as Zr)		
Duroplastic Phenol or	63-73	Inert or Nuisa	ance Dust	Y	N/A	15mg/M3	5mg/M3	N	
Urea Resin binder,						(Total Dust)	(Total Dust)		
& Inert Backing	1.0	Filler/Ten C	`a at	NI	15000 50 0	15mg/M2	Ema/M2	N	
CRYOLITE	1-8	Filler/Top C		N	15096-52-3	15mg/M3	5mg/M3	N	
*Maximums are required b	(Treat as inert) CPR 1910.1200 Hazard Communication Standard.								
		t hardware may be in	corporated in t	this product. Thes	e portions in no way represent a	hazard when handled in accordance	e with the measures	s set below.	
		SECTION	NIII - PH	HYSICAL	AND CHEMICA	L DATA			
BOILING POINT		N/A MELTING POINT			N/A	SPECIFIC GRAVITY	N/A		
		N/A PERCENT VOLATILE BY				VAPOR DENSITY	N/A		
EVAPORATION RATE		N/A S	OLUBILITY	Y IN WATER				N/A	
N/A	APPEARANCE AND ODC Abrasive disc mo				ounted with buttor	۱.			
	SE	ECTION IV	/ - FIRE	AND EX	(PLOSION HAZ/	ARD DATA			
FLASH POINT	(METHOD USED) N/A				FLAMMABLE LMTS. N/A				
EXTINGUISHING MEDIA	Water, Carbon Dioxide, Foam, Dry Chemical				-				
SPECIAL FIRE FIGHTING PROCEDURE Fiber and resin binder will burn or decompose; use respiratory protection.									
EXPLOSION POTENTIAL	-	N/A							
	SE	CTION V	HEALT	H, FIRS	T AID AND MED	ICAL DATA			
PRIMARY ROUTES					FIRST AID AND				
OF ENTRY		AND EFFECTS OF OVEREXPOSURE					MEDICAL INFORMATION		
INHALATION		ACUTE- May cause coughing, shortness of breath				Remove to fresh air; obtain first-aid or			
Airborne dust during grinding		CHRONIC- May effect breathing capacity				medical assistance as needed			
INGESTION		Dust - no known adverse effects,				First aid or medical assistance			
Dust during grinding		ingestion not recommended				as needed			
SKIN		Not absorbed through skin - may cause				First aid or medical assistance			
During grinding		abrasion in use				as needed			
EYE		Dust may irritate eyes				Wash with water; first aid or			
Airborne dust during grinding						medical assistance as needed			
OTHER HEALTH RISKS		On some materials, elevated sound levels				Obtain medical assistance as			
During grinding						needed			
	may be created which may effect hearing								

	SECTION VI - CORROSIVITY AND REACTIVITY DATA							
STABILITY: UNSTAB	STABLE POLYMERIZATION: MAY OCCUR WILL NOT OCCU							
INCOMPATIBILITY (MAT	ERIALS TO AVOID):							
DECOMPOSITION PRODU	JCTS:							
	decomposing resin fumes are generated. In most cases, the material removed from							
work piece will be significantly greater than the coated abrasive product components.								
CONDITIONS TO BE AV								
N/A								
SECTION VII - STORAGE HANDLING AND USE PROCEDURES								
NORMAL STORAGE AND HANDLING:								
Handle with adequate ventilation. See OSHA 29 CFR 1910.94 (ventilation) and OSHA 29 CFR								
1910.1000 (air contaminants)								
NORMAL USE:								
Handle with adequate ventilation; See OSHA 29 CFR 1910.94 (ventilation), OSHA 29 CFR								
1910.1000 (air contaminants), OSHA CFR 1910.213 (P) Sanding Machines & OSHA CFR 1910.243								
STEPS TO BE TAKEN IN	STEPS TO BE TAKEN IN CASE OF LEAKS OR SPILLS:							
Normal clean-up procedures.								
TRANSPORTATION:								
	emicals included in final product that appear as a "hazardous material" as indicated							
in the Department of Transportation's document 49 CFR doc 172.101 App. A.								
WASTE DISPOSAL METHOD:								
Standard landfill	methods consistent with applicable Federal, State, and local laws.							
	SECTION VIII - PERSONAL PROTECTION INFORMATION							
RESPIRATORY PROTEC	CTION (SPECIFY TYPE) As needed, approved dust respirator OSHA 24 CFR 1910.134							
VENTILATION	LOCAL Recommended							
Х	MECHANICAL Recommended (GENERAL)							
	OTHER NAIF							
PROTECTIVE GLOVES	Recommended when in use.							
EYE PROTECTION	Recommended OSHA 29 CFR 1910.133 (Face and Eye Protection)							
OTHER EQUIPMENT	As needed, hearing protection OSHA 29 CFR 1910.215 (Hearing Protection)							
See Sections VI, VII, and VIII								
MEASURES TO BE TAKEN DURING REPAIR AND MAINTENANCE OF CONTAMINATED EQUIPMENT THAT HAS BEEN IN CONTACT								
SECTION IX - SPECIAL PRECAUTIONS								
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE								
Slight formaldehyde or phenolic resin odor from binding system may be released during storage.								
OTHER PRECAUTIONS								
N/A								
	N/A = NOT APPLICABLE NAIF = NO APPLICABLE INFORMATION FOUND							
FOR COMPANY USE								
The inform	The information and recommendations set forth herein are taken from sources believed to be accurate							
as of the date hereof, however, Preferred Abrasives, Inc. makes no warranty with respect to the								

accuracy of the information or the suitability of the suitability of the recommendations, and assumes no liability to any user thereof.